# WMC007M230G1AA

## N-Channel SiC Power MOSFET

### Features

- High current density
- Low switching losses


### Benefits


- AlN ceramic substrate with low thermal resistance
- Press-FIT contact technology
- Intergrated NTC temperature sensor
- Rugged mounting due to intergrated mouting clamps

### Applications

- AC and DC Motor Control
- UPS and SMPS
- Inverter for Motor Drive
- DC-DC Converters
- Solar Applications

### Package





| Part Number | Package |
|---|---|
| WMC007M230G1AA | E2B |

### Maximum Ratings


| | | | | | |
|---|---|---|---|---|---|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

## Electrical Characteristics

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

## Circuit Diagram




## Package information

